

COMMERCIAL OR INDUSTRIAL REQUIREMENTS
FOR SUBMITTING
CONSTRUCTION DRAWINGS

WHEN SUBMITTING ANY COMMERCIAL OR INDUSTRIAL CONSTRUCTION DRAWINGS FOR PLAN REVIEW, THE FOLLOWING INFORMATION IS REQUIRED.

- 3 COMPLETE SETS OF RED STAMPED PLANS
- 1 PDF ELECTRONIC RED-STAMPED PLANS
- COMPLETED BUILDING PERMIT APPLICATION
- DRAWINGS ARE REQUIRED FOR PLAN REVIEW
(minimum size drawings are 18" by 24" 1' = 1/8" scale)

- APPROVED SITE PLAN.

- OCCUPANCY LOAD, CLASSIFICATION AND TYPE OF CONSTRUCTION

- TOTAL SQUARE FOOTAGE OF BUILDING AND LOT INCLUDING PERVIOUS AREA (to determine traffic impact fees)

- ARCHITECT'S STAMP REQUIRED ON EACH SHEET OF ARCHITECTURAL DRAWINGS

- STRUCTURAL ENGINEER'S STAMP REQUIRED ON ALL STRUCTURAL DRAWINGS

- STRUCTURAL CALCULATIONS

- COMPLETE STRUCTURAL, ELECTRICAL, MECHANICAL & PLUMBING DRAWINGS

- PROVIDE CONSTRUCTION VALUATION (PLAN CHECK FEE REQUIRED WITH SUBMITTAL-CALL 801-614-9670 FOR FEE AMOUNT)

- ARCHITECT'S ESTIMATED MONTHLY WATER CONSUMPTION

- C.O.M. CHECK (for compliance to energy code for heating, cooling, and light consumption)

- INDICATE IF BUILDING WILL BE SPRINKLED AND IF IT WILL HAVE ALARM SYSTEM

- Davis County Health Dept. approval is required before the issuance of any permit dealing with food establishments, public swimming pools, day care centers, waste disposal facilities, scavenger salvage operations.

- I.C.C. REPORT FOR ANY STUCCO SYSTEM IF USED.

- CLEAN STORM WATER ACT PLAN OF ACTION

- SPECIAL INSPECTION COMPANY INFORMATION AND THEIR CREDINTIALS

- A.D.A. COMPLIANCE REQUIREMENTS.

- DESIGN REQUIREMENTS- 30LB. SNOW LOAD
90 MPH. EXPOSURE C
SIESMIC ZONE D2

2006 Edition of the Uniform Building Code
2006 Edition of the National Fire Code
2006 Edition of the International Plumbing Code
2006 Edition of the International Mechanical Code
(THE ABOVE REFERENCED CODE WILL CHANGE TO THE 2009 EDITIONS EFFECTIVE JULY 1, 2010)
2008 Edition of the National Electrical Code

ALL BUILDING PERMITS PAID WITH CREDIT CARDS (VISA, MASTERCARD) ARE SUBJECT TO A 1% CONVENIENCE FEE.